



DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

50 CFR Part 660

[Docket No. 201204-0325]

RIN 0648-BL03

Magnuson-Stevens Act Provisions; Fisheries Off West Coast States; Pacific Coast Groundfish Fishery; 2021-2022 Biennial Specifications and Management Measures; Inseason Adjustments

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

ACTION: Final rule; inseason adjustments to biennial groundfish management measures.

SUMMARY: This final rule announces routine inseason adjustments to management measures in commercial groundfish fisheries. This action is intended to allow commercial fishing vessels to access more abundant groundfish stocks while protecting rebuilding and depleted stocks.

DATES: This final rule is effective [*INSERT DATE OF PUBLICATION IN THE FEDERAL REGISTER*].

ADDRESSES: This rule is accessible via the Internet at the Office of the Federal Register website at <https://www.federalregister.gov>. Background information and documents are available at the Pacific Fishery Management Council's website at <https://www.pccouncil.org/>.

FOR FURTHER INFORMATION CONTACT: Sean Matson, (206) 526-6187, e-mail: sean.matson@noaa.gov.

SUPPLEMENTARY INFORMATION:

Background

The Pacific Coast Groundfish Fishery Management Plan (PCGFMP) and its implementing regulations at title 50 in the Code of Federal Regulations (CFR), part 660, subparts C through G, regulate fishing for over 90 species of groundfish off the coasts of Washington, Oregon, and California. The Pacific Fishery Management Council (Council) develops groundfish harvest specifications and management measures for 2-year periods (*i.e.*, a biennium). NMFS published the final rule to implement harvest specifications and management measures for the 2021-2022 biennium for most species managed under the PCGFMP on December 11, 2020 (85 FR 79880). In general, the management measures set at the start of the biennial harvest specifications cycle help the various sectors of the fishery attain, but not exceed, the catch limits for each stock. The Council, in coordination with Pacific Coast Treaty Indian Tribes and the states of Washington, Oregon, and California, recommends adjustments to the management measures during the fishing year to achieve this goal.

At the September 2021 Council meeting, the Council's Groundfish Management Team (GMT) received requests from industry members and members of the Council's Groundfish Advisory Subpanel to examine the potential to increase sablefish trips limits for the fixed gear (FG), limited entry (LE) and open access (OA) Daily Trip Limit (DTL) fisheries north of 36° N. lat., and to increase trip limits for lingcod north of 42° N. latitude. The intent of increasing the sablefish limits was to increase harvest opportunities for vessels targeting sablefish, under a mix of daily, weekly, and bimonthly landings accumulation limits (commonly referred to collectively as "trip limits"); attainment of harvest targets for each DTL fishery, and the northern FG harvest guidelines for sablefish have been trending much lower than anticipated throughout 2021. To evaluate potential increases to sablefish trip limits, the GMT made model-based projections of landings under current regulations, as well as alternative sablefish trip

limits, including the limits ultimately recommended by the Council, through the remainder of the year. Under the current trip limits, models predict that landings of sablefish will be far below the harvest targets for LE, and OA fixed gear sablefish DTL fisheries north of 36° N. lat. Under the Council's recommended trip limits, sablefish attainment is projected to increase in the LE DTL fishery north of 36° N. latitude, from between 54-59 percent attainment, up to between 86 and 95 percent. For the OA DTL fishery, north of 36° N. latitude, the projected gains are more modest (from between 53 and 60 percent attainment, to between 57 and 66 percent); however, the OA model is more uncertain and less well informed than the LE model, the changes (both to LE and OA) should allow some beneficial increase in attainment, while being sufficiently precautionary.

The Council also recommended changes to trip limits for lingcod north of 42° N. latitude, after request from industry and analysis by the GMT, in order to reduce regulatory discard, which results in waste and lost revenue. Projected impacts to total fishing mortality are nearly identical between the current and recommended trip limits for lingcod, and well within the margin for error, but based on the analysis by the GMT, the higher landing limits are predicted to convert lost fish as discard, into landings and revenue, rather than inspire additional effort. By maintaining the same level of effort, and total fishing mortality, this increase in trip limits is not predicted to increase bycatch of yelloweye rockfish, which is managed under a rebuilding plan, and is a constraint to this fixed gear lingcod attainment.

At its meeting on September 9-15, 2021, the Council recommended increasing trip limits for the LE and OA FG sablefish, DTL fisheries north of 36° N. latitude. The Council also recommended increasing trip limits for the FG lingcod fishery, north of 42° N. latitude (LE and OA), beginning as soon as possible, for the remainder of the 2021 fishing year and for subsequent November-December periods in later years until

superseded. NMFS published these inseason adjustments on October 29, 2021 (86 FR 59876), for vessels using gear other than pot/trap gear. This gear-based limitation was because of the lack of a Marine Mammal Protection Act (MMPA) 101(a)(5)(E) permit for the incidental taking of marine mammals in the sablefish pot gear commercial fisheries. West coast sablefish pot gear fisheries are considered Category II fisheries under the MMPA's List of Fisheries, indicating occasional interactions with marine mammals, due to occasional incidental mortality and serious injury to Endangered Species Act-listed humpback whales (the CA/OR/WA stock of humpback whales). Vessels fishing for sablefish with pot gear also incidentally catch and retain other groundfish species, including lingcod. All other West Coast groundfish fisheries, including trawl and longline fisheries, are considered Category III fisheries under the MMPA, indicating a remote likelihood of, or no known serious injuries or mortalities to, marine mammals. Because sablefish pot gear fisheries are Category II fisheries, NMFS is required to issue a MMPA 101(a)(5)(E) permit for the taking of marine mammals after making a negligible impact determination (NID). NMFS published a notice of proposed issuance of a MMPA 101(a)(5)(E) permit and proposed NID in the **Federal Register** on October 22, 2021 (86 FR 58641). On December 8, 2021, NMFS issued an MMPA section 101(a)(5)(E) permit for the sablefish pot gear fishery.

These inseason adjustments increase the trip limits for vessels using pot/trap gear to match the limits in place for other FGs since October 29, 2021. The background on the rationale for the trip limit increases and the modeling that was completed in support of these inseason recommendations can be found in the preamble to 86 FR 59876 (October 29, 2021).

Summary of changes

Trip limit increases for sablefish are intended to increase attainment of the LE and OA DTL fisheries, which each contribute to attainment of the non-trawl HG for sablefish

north of 36° N. latitude. The proposed trip limit increases do not change projected impacts to co-occurring rebuilding species as analyzed in the 2021-2022 harvest specifications because the projected impacts to those species assume that the entire sablefish Annual Catch Limit (ACL) is harvested. Recommended increases to lingcod north of 42° N. latitude are intended to convert regulatory discards into landings and associated revenue, and are not predicted to increase effort or bycatch of co-occurring rebuilding species. Therefore, the Council recommended, and NMFS is implementing, by modifying Table 2, North and South to part 660, subpart E, trip limit changes for the LEFG fishery north of 40°10' N. lat., as well as Table 3, North and South to part 660, subpart F, to increase the limits as shown in tables 1 and 2 in this rule.

Table 1 – Trip limits by gear type for sablefish North of 36° N. Latitude for the remainder of 2021 and November-December periods thereafter until superseded.

	Trip limit for vessels using pot/trap gear
LEFG	4,500 lb (2,041 kg)/week, not to exceed 9,000 lb (4,082 kg)/2 months
OA	600 lb (272 kg), or 1 landing per week of up to 3,000 lb (1,361 kg), not to exceed 6,000 lb (2,722 kg)/2 months

Table 2 – Trip limits by gear type for lingcod North of 42° N. latitude for the remainder of 2021 and November-December periods thereafter until superseded.

	Trip limit for vessels using pot/trap gear
LEFG	5,000 lb (2,268 kg) / 2 months
OA	2,500 lb (1,134 kg) / month

Classification

This final rule makes routine inseason adjustments to groundfish fishery management measures, based on the best scientific information available, consistent with the PCGFMP and its implementing regulations.

This action is taken under the authority of 50 CFR 660.60(c) and is exempt from review under Executive Order 12866.

The aggregate data upon which these actions are based are available for public inspection by contacting Dr. Sean Matson in the West Coast Region (see **FOR FURTHER INFORMATION CONTACT**, above), or by visiting the NMFS West Coast Groundfish website:

<https://www.westcoast.fisheries.noaa.gov/fisheries/groundfish/index.html>.

Pursuant to 5 U.S.C. 553(b), NMFS finds good cause to waive prior public notice and an opportunity for public comment on this action, as notice and comment would be impracticable and contrary to the public interest. The adjustments to management measures in this document increase trip limits for fisheries off Washington, Oregon, and California to allow for greater attainment of allocations. No aspect of this action is controversial, and changes of this nature were anticipated in the final rule for the 2021-2022 harvest specifications and management measures, which was published on December 11, 2020 (85 FR 79880).

The Council recommended sablefish limit changes to increase opportunity to attain harvest targets and allocations for the respective fisheries, and contribute to attainment of the ACL. New information became available at the Council's September 2021 meeting showing that harvest was tracking much lower than projections made during the harvest specifications process due to changing fishery conditions. The updated trip limits being implemented in this rule are anticipated to increase landings and fishing community revenue, while maintaining harvest within scientifically informed

conservation limits, concomitant with the goals of the Magnuson-Stevens Fishery Conservation and Management Act (Magnuson-Stevens Act).

The Council recommended increased lingcod landing limits to reduce regulatory discard; new information became available at the Council's September 2021 meeting indicating that current levels of landing limits were having the unintended consequence of causing fishers to discard substantial amounts of catch. Implementing the recommended trip limits is projected to reduce regulatory discards, without changing attainment rate of the allocation, by enabling those fish to be landed rather than wasted, and produce fisher and community revenue.

Delaying implementation to allow for public comment would reduce the economic benefits to the commercial fishing industry and the businesses that rely on that industry because it is unlikely the new regulations would publish and could be implemented before the end of the calendar year. Therefore, providing a comment period for this action could significantly limit the economic benefits to the fishery, and would hamper the achievement of optimum yield from the affected fisheries.

Therefore, NMFS finds reason to waive the 30-day delay in effectiveness pursuant to 5 U.S.C. 553(d)(1) so that this final rule may become effective upon publication in the **Federal Register**. The adjustments to management measures in this document affect commercial fisheries by increasing opportunity and relieving participants of the lower trip limits in light of information showing lower than usual attainment. These adjustments were requested by the Council's advisory bodies, as well as by members of industry during the September 2021 meeting, and recommended unanimously by the Council. No aspect of this action is controversial, and changes of this nature were anticipated in the biennial harvest specifications and management measures established through a notice and comment rulemaking for 2021-2022 (85 FR 79880).

List of Subjects in 50 CFR Part 660

Fisheries, Fishing, and Indian Fisheries.

Authority: 16 U.S.C. 1801 *et seq.*, 16 U.S.C. 773 *et seq.*, and 16 U.S.C. 7001 *et seq.*

Dated: December 7, 2021.

Ngagne Jafnar Gueye,

Acting Director, Office of Sustainable Fisheries,

National Marine Fisheries Service.

For the reasons set out in the preamble, 50 CFR part 660 is amended as follows:

PART 660—FISHERIES OFF WEST COAST STATES

1. The authority citation for part 660 continues to read as follows:

Authority: 16 U.S.C. 1801 *et seq.*, 16 U.S.C. 773 *et seq.*, and 16 U.S.C. 7001 *et seq.*

2. Revise Table 2 (North) to part 660, subpart E, to read as follows:

**Table 2 (North) to Part 660, Subpart E - Non-Trawl Rockfish Conservation Areas
and Trip Limits for Limited Entry Fixed Gear North of 40°10' N. lat.**

Table 2 (North) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear North of 40°10' N. lat.
Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table 11/14/2021

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)^{1/}:						
1 North of 46° 16' N. lat.	shoreline - 100 fm line ^{1/}					
2 46° 16' N. lat. - 40° 10' N. lat.	40 fm line ^{1/} - 100 fm line ^{1/}					
3	30 fm line ^{1/} - 40 fm line ^{1/2/}					
See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).						
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.						
4 Minor Slope Rockfish^{3/} & Darkblotched rockfish	8,000 lb/ 2 months					
5 Pacific ocean perch	3,600 lb/ 2 months					
6 Sablefish	1,700 lb/week, not to exceed 5,100 lb/ 2 months				4,500 lb/week, not to exceed 9,000 lb/ 2 months	
Higher Sep-Oct sablefish trip limits do not apply to pot/trap gear. Nov-Dec trip limits apply to all fixed gear.						
7 Longspine thornyhead	10,000 lb/ 2 months					
8 Shortspine thornyhead	2,000 lb/ 2 months			2,500 lb/ 2 months		
9 Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish^{4/8/}	10,000 lb/ month					
12 Whiting	10,000 lb/ trip					
13 Minor Shelf Rockfish^{3/}	800 lb / month					
14 Shortbelly Rockfish	200 lb / month					
15 Widow rockfish	4,000 lb/ 2 months					
16 Yellowtail rockfish	3,000 lb/ month					
17 Canary rockfish	3,000 lb/ 2 months					
18 Yelloweye rockfish	CLOSED					
19 Minor Nearshore Rockfish, Oregon black/blue/deacon rockfish & CA black rockfish^{5/}						
20 North of 42°00' N. lat.	5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish or blue/deacon rockfish ^{4/}					
21 42°00' N. lat. - 40° 10' N. lat.	7,000 lb/ 2 months, no more than 2,000 lb of which may be species other than black rockfish					
22 Lingcod^{6/}						
23 North of 42°00' N. lat.	4,000 lb/ 2 months				5,000 lb/ 2 months	
Higher Sep-Oct lingcod trip limits do not apply to pot/trap gear. Nov-Dec trip limits apply to all fixed gear.						
24 42°00' N. lat. - 40° 10' N. lat.	2,000 lb/2 months					
25 Pacific cod	1,000 lb/ 2 months					
26 Spiny dogfish	200,000 lb / 2 months		150,000 lb / 2 months		100,000 lb / 2 months	
27 Longnose skate	Unlimited					
28 Other Fish^{7/} & Cabezon in California	Unlimited					
29 Oregon Cabezon/Kelp Greenling	Unlimited					
30 Big skate	Unlimited					

TABLE 2 (North)

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ Between 46°16' N. lat. and 40°10' N. lat. and the 30 fm and 40 fm lines, fishing is only allowed with hook-and-line gear except bottom longline and danglebar gear, as defined in §660.11

3/ Bocaccio, chilipepper and cowcod are included in the trip limits for Minor Shelf Rockfish and splitnose rockfish is included in the trip limits for Minor Slope Rockfish.

4/ "Other flatfish" are defined at § 660.11 and include butter sole, curffin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

5/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.(46°38.17' N. lat.),

6/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.

7/ "Other Fish" are defined at § 660.11 and include kelp greenling off California and leopard shark.

8/ LEFG vessels are allowed to fish inside groundfish conservation areas using hook and line only. See section 660.230 (d) of the regulations for more information.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

3. Revise Table 2 (South) to part 660, subpart E, to read as follows:

**Table 2 (South) to Part 660, Subpart E - Non-Trawl Rockfish Conservation Areas
and Trip Limits for Limited Entry Fixed Gear South of 40°10' N. lat.**

Table 2 (South) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear South of 40°10' N. lat.
Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table 11/14/2021

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)^{1/}:						
1	40°10' N. lat. - 38°57.5' N. lat.		40 fm line ^{1/} - 125 fm line ^{1/}			
2	38°57.5' N. lat. - 34°27' N. lat.		50 fm line ^{1/} - 125 fm line ^{1/}			
3	South of 34°27' N. lat.		100 fm line ^{1/} - 150 fm line ^{1/} (also applies around islands)			
See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).						
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.						
4	Minor Slope rockfish^{2/} & Darkblotched		40,000 lb/ 2 months, of which no more than 6,000 lb may be blackgill rockfish			
5	Splitnose rockfish		40,000 lb/ 2 months			
6	Sablefish					
7	40°10' N. lat. - 36°00' N. lat.		1,700 lb/week, not to exceed 5,100 lb/ 2 months		4,500 lb/week, not to exceed 9,000 lb/ 2 months	
Higher Sep-Oct sablefish trip limits do not apply to pot/trap gear. Nov-Dec trip limits apply to all fixed gear.						
8	South of 36°00' N. lat.		2,500 lb/ week			
9	Longspine thornyhead		10,000 lb/ 2 months			
10	Shortspine thornyhead					
11	40°10' N. lat. - 34°27' N. lat.		2,000 lb/ 2 months		2,500 lb/ 2 months	
12	South of 34°27' N. lat.		3,000 lb/ 2 months			
13	Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder. Other Flatfish^{3/8/}		10,000 lb/ month			
15	Whiting		10,000 lb/ trip			
17	Minor Shelf Rockfish^{2/}					
18	40°10' N. lat. - 34°27' N. lat.		8,000 lb. / 2 months, of which no more than 500 lb. may be vermillion			
19	South of 34°27' N. lat.		5,000 lb. / 2 months, of which no more than 3,000lb. may be vermillion			
20	Widow					
21	40°10' N. lat. - 34°27' N. lat.		10,000 lb. / 2 months			
22	South of 34°27' N. lat.		8,000 lb. / 2 months			
23	Chillipepper					
24	40°10' N. lat. - 34°27' N. lat.		10,000 lb. / 2 months			
25	South of 34°27' N. lat.		8,000 lb. / 2 months			
26	Shortbelly Rockfish					
27	South of 40°10' N. lat.		200 lb/ month			
28	Canary rockfish		3,500 lb/ 2 months			
29	Yelloweye rockfish		CLOSED			
30	Cowcod		CLOSED			
31	Bronzespotted rockfish		CLOSED			
32	Bocaccio		6,000 lb/ 2 months			
33	Minor Nearshore Rockfish					
34	Shallow nearshore ^{4/}		2,000 lb/ 2 months			
35	Deeper nearshore ^{5/}		2,000 lb/ 2 months			
36	California Scorpionfish		3,500 lb/ 2 months			
37	Lingcod^{6/}		1,600 lb / 2 months			
38	Pacific cod		1,000 lb/ 2 months			
39	Spiny dogfish		200,000 lb/ 2 months	150,000 lb/ 2 months	100,000 lb/ 2 months	
40	Longnose skate		Unlimited			
41	Other Fish^{7/} & Cabezon in California		Unlimited			
42	Big Skate		Unlimited			

TABLE 2 (South)

TABLE 2 (South)

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ POP is included in the trip limits for Minor Slope Rockfish. Blackgill rockfish have a species specific trip sub-limit within the Minor Slope Rockfish cumulative limit. Yellowtail rockfish are included in the trip limits for Minor Shelf Rockfish. Bronzespotted rockfish have a species specific trip limit.

3/ "Other Flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

4/ "Shallow Nearshore" are defined at § 660.11 under "Groundfish" (7)(i)(B)(1).

5/ "Deeper Nearshore" are defined at § 660.11 under "Groundfish" (7)(i)(B)(2).

6/ The commercial minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.

7/ "Other Fish" are defined at § 660.11 and include kelp greenling off California and leopard shark.

8/ LEFG vessels are allowed to fish inside groundfish conservation areas using hook and line only. See section 660.230 (d) of the regulations for more information.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

4. Revise Table 3 (North) to part 660, subpart F, to read as follows:

**Table 3 (North) to Part 660, Subpart F - Non-Trawl Rockfish Conservation Areas
and Trip Limits for Open Access Gears North of 40°10' N. lat.**

Table 3 (North) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears North of 40°10' N. lat.

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

11/14/2021

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA) ^{1/} :							
1	North of 46° 16' N. lat.	shoreline - 100 fm line ^{1/}					
2	46° 16' N. lat. - 40° 10' N. lat.	40 fm line ^{1/} - 100 fm line ^{1/}					
3		30 fm line ^{1/} - 40 fm line ^{1/2/}					
See §§660.60, 660.330 and 660.333 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Bank, and EFHCAs).							
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.							
4	Minor Slope Rockfish ^{3/} & Darkblotched rockfish	2,000 lb / months					
5	Pacific ocean perch	100 lb/ month					
6	Sablefish	600 lb/day, or 1 land/week up to 2,000 lb, not to exceed 4,000 lb / 2 months				600 lb/day, or 1 land/week up to 3,000 lb, not to exceed 6,000 lb / 2 months	
Higher Sep-Oct sablefish trip limits do not apply to pot/trap gear. Nov-Dec trip limits apply to all gear.							
7	Shortpine thornyheads	50 lb/month					
8	Longspine thornyheads	50 lb/month					
9	Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other	5,000 lb/ month					
10	Flatfish ^{4/8/}						
11	Whiting	300 lb/ month					
12	Minor Shelf Rockfish ^{3/}	800 lb / month					
13	Widow rockfish	2,000 lb/ 2 months					
14	Shortbelly Rockfish	200 lb / month					
15	Yellowtail rockfish	1,500 lb/ month					
16	Canary rockfish	1,000 lb/ 2 months					
17	Yelloweye rockfish	CLOSED					
18	Minor Nearshore Rockfish, Oregon black/blue/deacon rockfish & CA black rockfish						
19	North of 42°00' N. lat.	5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish or blue/deacon rockfish ^{5/}					
20	42° 00' N. lat. - 40° 10' N. lat.	7,000 lb/ 2 months, no more than 2,000 lb of which may be species other than black rockfish					
21	Lingcod ^{6/}						
22	North of 42° 00' N. lat.	2,000 lb/ month				2,500 lb/ month	
Higher Sep-Oct lingcod trip limits do not apply to pot/trap gear. Nov-Dec trip limits apply to all gear.							
23	42° 00' N. lat. - 40° 10' N. lat.	1,000 lb / month					
24	Pacific cod	1,000 lb/ 2 months					
25	Spiny dogfish	200,000 lb/ 2 months		150,000 lb/ 2 months		100,000 lb/ 2 months	
26	Longnose skate	Unlimited					
27	Big skate	Unlimited					
28	Other Fish ^{7/} & Cabezon in California	Unlimited					
29	Oregon Cabezon/Kelp Greenling	Unlimited					
30	SALMON TROLL (subject to RCAs when retaining all species of groundfish, except for yellowtail rockfish and lingcod, as described below)						
31	North	Salmon trollers may retain and land up to 500 lb of yellowtail rockfish per month as long as salmon is on board, both within and outside of the RCA. Salmon trollers may retain and land up to 1 lingcod per 2 Chinook per trip, plus 1 lingcod per trip, up to a trip limit of 10 lingcod, on a trip where any fishing occurs within the RCA. The lingcod limit only applies during times when lingcod retention is allowed, and is not "CLOSED." These limits are within the per month limits described in the table above, and not in addition to those limits. All groundfish species are subject to the open access limits, seasons, size limits and RCA restrictions listed in the table above, unless otherwise stated here.					
32	PINK SHRIMP NON-GROUNDFISH TRAWL (not subject to RCAs)						
33	North	Effective April 1 - October 31: Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do not have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed.					

TABLE 3 (North)

TABLE 3 (North)

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ Between 46°16' N. lat. and 40°10' N. lat. and the 30 fm and 40 fm lines, fishing is only allowed with hook-and-line gear except bottom longline and dinglebar gear, as defined in §660.11

3/ Bocaccio, chilipepper and cowcod rockfishes are included in the trip limits for Minor Shelf Rockfish. Spltnose rockfish is included in the trip limits for Minor Slope Rockfish.

4/ "Other flatfish" are defined at § 660.11 and include butter sole, curfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

5/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.

6/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.

7/ "Other fish" are defined at § 660.11 and include kelp greenling off California and leopard shark.

8/ Open access vessels are allowed to fish inside groundfish conservation areas using hook and line only. See section 660.330 (d) of the regulations for more information.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

5. Revise Table 3 (South) to part 660, subpart F, to read as follows:

Table 3 (South) to Part 660, Subpart F - Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears South of 40°10' N. lat.

Table 3 (South) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears South of 40°10' N. lat.

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

11/14/2021

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)^{1/}:							
1	40°10' N. lat. - 38°57.5' N. lat.	40 fm line ^{1/} - 125 fm line ^{1/}					
2	38°57.5' N. lat. - 34°27' N. lat.	50 fm line ^{1/} - 125 fm line ^{1/}					
3	South of 34°27' N. lat.	100 fm line ^{1/} - 150 fm line ^{1/} (also applies around islands)					
See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).							
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.							
4	Minor Slope Rockfish ^{2/} & Darkblotched rockfish	10,000 lb/ 2 months, of which no more than 2,500 lb may be blackgill rockfish					
5	Splitnose rockfish	200 lb/ month					
6	Sablefish						
7	40°10' N. lat. - 36°00' N. lat.	600 lb/day, or 1 land/week up to 2,000 lb, not to exceed 4,000 lb/2 months				600 lb/day, or 1 land/week up to 3,000 lb, not to exceed 6,000 lb/2 months	
Higher Sep-Oct sablefish trip limits do not apply to pot/trap gear. Nov-Dec trip limits apply to all gear.							
8	South of 36°00' N. lat.	2,000 lb/week, not to exceed 6,000 lb/2 months					
9	Shortpine thornyheads						
10	40°10' N. lat. - 34°27' N. lat.	50 lb/ month					
11	Longspine thornyheads						
12	40°10' N. lat. - 34°27' N. lat.	50 lb/ month					
13	Shortpine thornyheads and longspine						
14	South of 34°27' N. lat.	100 lb/day, no more than 1,000 lb/ 2 months					
15	Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other	5,000 lb/ month					
16	Flatfish ^{3/8/}						
17	Whiting	300 lb/ month					
18	Minor Shelf Rockfish ^{2/}						
19	40°10' N. lat. - 34°27' N. lat.	4,000 lb. / 2 months, of which no more than 400 lb. may be vermilion					
20	South of 34°27' N. lat.	3,000 lb. / 2 months, of which no more than 1,200lb. may be vermilion					
21	Widow						
22	40°10' N. lat. - 34°27' N. lat.	6,000 lb. / 2 months					
23	South of 34°27' N. lat.	4,000 lb. / 2 months					
24	Chilipepper						
25	40°10' N. lat. - 34°27' N. lat.	6,000 lb. / 2 months					
26	South of 34°27' N. lat.	4,000 lb. / 2 months					
27	Shortbelly Rockfish						
28	South of 40°10' N. lat.	200 lb/ month					
29	Canary rockfish	1,500 lb/ 2 months					
30	Yelloweye rockfish	CLOSED					
31	Cowcod	CLOSED					
32	Bronzespotted rockfish	CLOSED					
33	Bocaccio	4,000 lb/ 2 months					
34	Minor Nearshore Rockfish						
35	Shallow nearshore ^{4/}	2,000 lb/ 2 months					
36	Deeper nearshore ^{5/}	2,000 lb/ 2 months					
37	California Scorpionfish	3,500 lb/ 2 months					
38	Lingcod ^{6/}	700 lb / months					
39	Pacific cod	1,000 lb/ 2 months					
40	Spiny dogfish	200,000 lb/ 2 months		150,000 lb/ 2 months		100,000 lb/ 2 months	
41	Longnose skate	Unlimited					
42	Big skate	Unlimited					
43	Other Fish ^{7/} & Cabezon in California	Unlimited					

TABLE 3 (South)

Table 3 (South) Continued

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

9/24/2021

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA) ^{1/} :							
40	40°10' N. lat. - 38°57.5' N. lat.	40 fm line ^{1/} - 125 fm line ^{1/}					
41	38°57.5' N. lat. - 34°27' N. lat.	50 fm line ^{1/} - 125 fm line ^{1/}					
42	South of 34°27' N. lat.	100 fm line ^{1/} - 150 fm line ^{1/} (also applies around islands)					
See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).							
43	SALMON TROLL (subject to RCAs when retaining all species of groundfish, except for yellowtail rockfish, as described below)						
44	South of 40°10' N. lat.	Salmon trollers may retain and land up to 1 lb of yellowtail rockfish for every 2 lb of Chinook salmon landed, with a cumulative limit of 200 lb/month, both within and outside of the RCA. This limit is within the 4,000 lb per 2 month limit for minor shelf rockfish between 40°10' and 34°27' N. lat., and not in addition to that limit. All groundfish species are subject to the open access limits, seasons, size limits and RCA restrictions listed in the table above, unless otherwise stated here.					
45	RIDGEBACK PRAWN AND, SOUTH OF 38°57.50' N. LAT., CA HALIBUT AND SEA CUCUMBER NON-GROUNDFISH TRAWL						
46	NON-GROUNDFISH TRAWL Rockfish Conservation Area (RCA) for CA Halibut, Sea Cucumber & Ridgeback Prawn:						
47	40°10' N. lat. - 38°00' N. lat.	100 fm line ^{1/} - 200 fm line ^{1/}	100 fm line ^{1/} - 150 fm line ^{1/}				100 fm line ^{1/} - 200 fm line ^{1/}
48	38°00' N. lat. - 34°27' N. lat.	100 fm line ^{1/} - 150 fm line ^{1/}			100 fm line ^{1/} - 150 fm line ^{1/}		
49	South of 34°27' N. lat.	100 fm line ^{1/} - 150 fm line ^{1/}					
50		Groundfish: 300 lb/trip. Species-specific limits described in the table above also apply and are counted toward the 300 lb groundfish per trip limit. The amount of groundfish landed may not exceed the amount of the target species landed, except that the amount of spiny dogfish landed may exceed the amount of target species landed. Spiny dogfish are limited by the 300 lb/trip overall groundfish limit. The daily trip limits for sablefish coastwide and thornyheads south of Pt. Conception and the overall groundfish "per trip" limit may not be multiplied by the number of days of the trip. Vessels participating in the California halibut fishery south of 38°57.50' N. lat. are allowed to (1) land up to 100 lb/day of groundfish without the ratio requirement, provided that at least one California halibut is landed and (2) land up to 3,000 lb/month of flatfish, no more than 300 lb of which may be species other than Pacific sanddabs, sand sole, starry flounder, rock sole, curlfin sole, or California scorpionfish (California scorpionfish is also subject to the trip limits and closures in line 29).					
51	PINK SHRIMP NON-GROUNDFISH TRAWL GEAR (not subject to RCAs)						
52	South	Effective April 1 - October 31: Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/ month (minimum 24 inch size limit); sablefish 2,000 lb/ month; canary rockfish, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of all groundfish species count toward the per day, per trip or other species-specific sublimits described here and the species-specific limits described in the table above do not apply. The amount of groundfish landed may not exceed the amount of pink shrimp landed.					

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at § 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-m depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ POP is included in the trip limits for minor slope rockfish. Blackgill rockfish have a species specific trip sub-limit within the minor slope rockfish cumulative limits. Yellowtail rockfish is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.

3/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

4/ "Shallow/Nearshore" are defined at § 660.11 under "Groundfish" (7)(i)(B)(1).

5/ "Deeper Nearshore" are defined at § 660.11 under "Groundfish" (7)(i)(B)(2).

6/ The commercial minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.

7/ "Other fish" are defined at § 660.11 and includes kelp greenling off California and leopard shark.

8/ Open access vessels are allowed to fish inside groundfish conservation areas using hook and line only. See section 660.330 (d) of the regulations for more information.

Table 3 (South) Continued

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ POP is included in the trip limits for minor slope rockfish. Blackgill rockfish have a species specific trip sub-limit within the minor slope rockfish cumulative limits. Yellowtail rockfish is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.

3/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.

4/ "Shallow Nearshore" are defined at § 660.11 under "Groundfish" (7)(i)(B)(1).

5/ "Deeper Nearshore" are defined at § 660.11 under "Groundfish" (7)(i)(B)(2).

6/ The commercial minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.

7/ "Other fish" are defined at § 660.11 and includes kelp greenling off California and leopard shark.

8/ Open access vessels are allowed to fish inside groundfish conservation areas using hook and line only. See section 660.330 (d) of the regulations for more information.